



Long Blooming and Frequent Blooming Orchid Species

The Canadian Orchid Congress

<http://www.CanadianOrchidCongress.ca/>

Long Blooming and Frequent Blooming Orchid Species

The Canadian Orchid Congress

Compiled by Sydney H. Yearron, Victoria Orchid Society, Victoria, British Columbia, Canada

LEGEND

+ Natural Hybrid

I Irregular Characteristics

GENUS	SPECIES	BLOOMING CHARACTERISTICS
-------	---------	--------------------------

Acampe

	dentata	
	longifolia (penangiana) (Vanda l)	successive
	multiflora (Vanda m)	
	pachyglossa ssp renschiana	
	papillosa (Saccolabium p)	
	penangiana (longifolia)	

Acanthephippium

	sylhetense	successive 1 month
--	------------	--------------------

Acinita

	chrysantha (densa) (Neippergia c)	
--	-----------------------------------	--

Ada

	aurantiaca	
	lehmannii	

Aerangis

	articulata (Angraecum articulatum)	
	biloba (Angraecum bilobum)	
	brachycarpa	2-3 weeks
	citrata	successive months
	decaryana	
	ellisii (Angraecum e)	
	fastuosa (Angraecum fastuosum)	3 weeks
	flabellifolia	
	kotschyana (Angraecum kotschyi)	
	laurentii	

luteo-alba
 modesta (*Angraecum modestum*) 4 weeks
 platyphylla 3 weeks
 rhodosticta (*Angraecum rhodostictum*)
 somalensis
 stylosa 3 weeks
 verdickii (*Angraecum v*) 3 weeks

Aeranthus (All)

arachnites (*Dendrobium a*) 5 months
 denticulatum successive
 filipes successive to 5 months
 grandiflora 5 months
 longipes
 neoperrieri continuous
 payrotti successive months
 Hillerman # 148 continuous summer
 " # 152 2-3 months
 " # 154 1-2 months

Aeranthus

distichus (*Angraecum distichum*)

Aerides

crassifolium (expansum)
 expansum (crassifolium)
 falcatum var houletianum (houletianum)
 houletianum (falcatum var h)
 mitratum (*Seidenfadenia m*)
 quinquevulnerum 2 weeks
 japonica (*Sediria j*)
 krabiensis
 mitratum
 multiflorum
 rostratum (*Camarotis rostrata*)
 sulingii (*Armodorum s*)
 vandarum

Alaomania

punicea

Amblostoma	
armeniaca	
Amphiglottis	
conopsea (Epidendrum conopseum)	
Anacheilon	
fragrans (Epidendrum f)	
Ancistrochilus	
rothschildianum	1 month
thompsonianus	
Angraecum (Macroleptum)	
arcuatum (Cyrtorchis arcuata)	
arnoldianum (eichlerianum)	
articulatum (Aerangis articulata)	
bilobum (Aerangis biloba)	
birrimense	
calceolus	continuous
caudatus (plectrelminthus c)	
comorensis	
cultriforme	several times/year
dendrobiopsis	
didieri	3 X/year
distichum (Aeranthes d)	several X/year
eburneum (virens) (Limodorum e) (Lycaste e)	
" var giryamae (Aeranthes g)	
" var superbum (Aeranthes s)	
" ssp xerophilum	
eichlerianum (arnoldianum)	
ellisii (Aerangis e)	
equitans	
fastuosum (Aerangis fastuosa)	
fragrans (Jumellea f)	
germinyanum	3 weeks
" var Hillerman # 127	
" # 131	3 weeks
" # 132	1 month
humbertii	months
humblotii (leonis) (Limodorum h) (Lycaste h)	
infundibulare (Mystacidium i)	

kotschyi (<i>Aerangis kotschyana</i>)	
laurentii	
leonis (<i>humblotii</i>) (Comoro Islands form)	
luteo-alba	
magdalenae	2-3 X/year to 5 weeks
modestum (<i>Aerangis modesta</i>)	
pseudofilicornu	to 4 weeks
ramosum	
rhodostictum (<i>Aerangis r</i>)	
rutenbergianum successive	
scottianum	
sesquipedale (<i>Macroplectum s</i>)	
(<i>Mystacidium s</i>)	3-4 weeks
sororium	
subulatum	several X/year
superbum	1 month
" var <i>longicalcar</i>	2 months
verdickii (<i>Aerangis v</i>)	
virens (<i>eburneum</i>)	
Hillerman # 85	6-7 months

Anguloa
uniflora

Ania
penangiana (*Tainia p*)

Ansellia
africana (*gigantea*)
 " var *azorica*

Arachnis (*Arachnanthe*)
cathcartii (*Vanda c*)
clarkei (*Esmeralda c*)
flos-aeris (*Epidendrum f-a*)
hookerianum (*Renanthera h*)

Armadorum (*Arrhynchium*)
labrosum (*Renanthera labrosa*)
sulingii (*Aerides s*)

Artorima
erubescens (Epidendrum e)

Arundina
graminifolia (bambusifolia)
(speciosa) successive

Ascocentrum
curvifolium
hendersonianum (Dyakia h)

Aspasia
variegata (Odontoglossum v)

Barkeria (Epidendrum)
scandens
skinneri (uniflora) 3 months

Batemannia
colleyi (Maxillaria c)

Bifrenaria
harrisoniae (Dendrobium h)
inodora (fragrans) (Lycaste i)
leucorrhoda
tetragona (Lycaste t)
tyriantheria

Bletia
amabilis (reflexa)
canaliculatum (Tetramicra c)
florida (shepherdii)
jongheana (Laelia j)
lyonsii (Laelia l)
nodosa (Brassavola n)
parviflora (Tetramicra p)
reflexa (amabilis)
shepherdii (florida)

Bollea
coelestis (pulvinaris) (Zygopetalum coeleste)
hemixanthe

lalindei (Zygopetalum l)
lawrenceana (Zygopetalum lawrenceanum)
patini
pulvinaris (coelestis)
violacea

Brachycorythis

kalbreyeri weeks
macrantha successive weeks

Brassavola

cordata (subulifolia) several X/year
cucullata (cuspidata)
cuspidata (cucullata)
digbyana (Rhyncholaelia d)
flagellaris
glauca (Rhyncholaelia g)
grandiflora (nodosa)
guttata (maculata)
maculata (guttata)
martiana
nodosa (grandiflora) (Bletia n) several X/year
perrinii
subulifolia (cordata)

Brassia

aristata (verrucosa)
augusta (lawrenceana)
caudata
gireoudiana (Oncidium g) weeks
gutatta (maculata)
lawrenceana (augusta) (Oncidium l)
longissima (lawrenceana var l)
maculata (guttata) weeks
verrucosa (aristata) (Oncidium brachiatum)

Broughtonia

linearis (Coelogyne fimbriata)
sanguinea several X/year
" var aurea several X/year

Bulbophyllum	
barbigerum	weeks
dearei (godseffianum)	
godseffianum (dearei)	
grandiflorum (Hyalosema g)	
graveolens	
globiforme	2-3 weeks
henshalii (lobbii)	
imbricatum	
lobbii (henshalii)	
Cadetia	
chionanthe	continuous
taylori	
Calanthe (all ?)	
rubens (Preptanthe r)	months
triplicata	
vestita (Preptanthe v)	
" var regnieri	
" var rubro-oculata	
volkensis	
Callista	
albosanguinea (Dendrobium amethystoglossum)	
findlayanum (Dendrobium f)	
heterocarpum (Dendrobium h)	
taurina (Dendrobium taurinum)	
Calopogon	
pallidus successive	
Camarotis	
rostrata (purpurea) (Aerides rostratum)	
Capanemia	
superfua	
Catasetum	
luxatum (Mormodes l)	
pileatum	several X/year

Cattleya

aclandiae	
alexandrae (elongata)	
amethystina (intermedia)	
amethystoglossa (porphyroglossa)	
anceps (Laelia a)	
aurantiaca var marigold	
autumnalis (Laelia a)	
bicolor	weeks
citrina (Encyclia c)	3 weeks
crispa (Laelia c)	
elatior (guttata)	
elongata (alexandrae)	
flava (Laelia f)	
flavida (luteola)	
forbesii (vestalis) (Maelenia paradoxa)	
furfuracea (Laelia f)	
granulosa (Epidendrum g)	
" forma schofieldiana	Irregular
guttata (elatior)	
" forma prinzii	
" var alba	
intermedia (amethystina)	
" var alba	several X/year
labiata (Laelia l)	3 weeks
" var mendelii (mendelii)	
lawrenceana	
loddegesii (ovata)	
" var harrisoniana	
luteola (flavida)	3 X/year
maxima (Epidendrum m)	
nobilior (walkeriana var n)	
ovata (loddegesii)	
perrinii (Laelia p)	
porphyroglossa (amethystoglossa)	
pumila (Laelia p)	
purpurata (Laelia p)	
regnellii (schilleriana)	
schilleriana (regnellii)	several X/year
" var superba	
superba (violacea)	
superbiens (Laelia s)	

tibicinis (Laelia t)	
vestalis (forbesii)	
violacea (superba)	2/3 X/year
walkeriana	
walkeriana var alba	several X/year
" var nobilior (nobilior)	
Cattleyopsis	
ortgeisiana	successive
Caularthron (Diacrum)	
bicornutum (Epidendrum b)	
Centrogenium	
setaceum (Pelexia setacea)	
Centroglossum	
macroceras	weeks
Ceratostylis	
retisquana	several X/year
nubra	
Chelonanthera (Coelogyne)	
speciosa	
Chondroryncha	
aromatica (Zygopetalum aromaticum)	
discolor (Warrea d)	
marginata (Zygopetalum fragrans)	
Chysis	
aurea	
" var bractescens (bractescens)	
" forma lemminghei (lemminghei)	
bractescens (aurea var b) (Thorvaldsenia speciosa)	
costaricensis (laevis)	
laevis (costaricensis)	
lemminghei (aruea var l)	
Chytroglossum	
aurita	1 month

Cirrhaea
dependens

Cleisostoma
ionosmum (Tricoglottis i)
roseum (Tricoglottis rosea)

Cleistis l
rosea (Pogonia r)

Coelogyne
barbata
corymbosa
cristata
cummingii
dayana (quadrangularis)
elata
fimbriata (Broughtonia linearis) Irregular
flaccida
fuscescens
nitida (ocellata)
ocellata (nitida)
prolifera
quadrangularis (dayana)
speciosa (Chelonanthera s)
" var salmonicolor (salmonicolor)

Colax
jugosus (Maxillaria jugosa)
parkeri (Maxillaria p)

Comparettia
macroplectrum 2-3 weeks

Cottonia
macrostachya

Cuitlauzina
pendula (Odontoglossum pendulum)

Cycnoches

- chlorochilon (ventricosum var. chlorochilon)
- ventricosum
 - " var chlorochilon (chlorochilon)
 - " var warscewiczii (warscewiczii)

Cymbidiella

- flabellata (perrier) (Limodorum flabellatum)
- humblotii (Cymbidium h)
- perrier (flabellata)
- rhodochila (Cymbidium rhodochilum) weeks

Cymbidium

- angolense (Eulophia angolensis)
- devonianum
- eburneum (syringodorum)
- ensifolium complex (Epidendrum e)
- floribundum several X/year
- giganteum (lowianum) (Irridorchis gigantea)
- grandiflorum (hookerianum)
- hookerianum (grandiflorum)
- humblotii (Cymbidiella h)
- lancifolium
- lowianum (giganteum)
- pumilum
- rhodochilum (Cymbidiella rhodochila)
- syringodorum (eburneum)

Cynorchis

- lowianum

Cypripedium

- acaule 3 weeks
- argus (Paphiopedilum a)
- chamberlainianum (Paphiopedilum c)
- charlesworthii (Paphiopedilum c)
- fairrieanum (Paphiopedilum f)
- haynaldianum (Paphiopedilum h)
- longifolium (Phragmipedium l)
- mastersianum (Paphiopedilum m)
- purpuratum (Paphiopedilum p)
- rothschildianum (Paphiopedilum r)

Cyrtidium
rhomboglossum

Cyrtochilum
loxense (Oncidium l)
macranthum (Oncidium m)
maculatum (Oncidium m)

Cyrtopodium
andersoni (glutiniferum)
paludicolum successive
virescens

Cyrtorchis
arcuata (Angraecum arcuatum) 4 weeks
" ssp variabilis to 3 weeks
praetermissa

Dendrobium
acuminatum (Epigeneium a)
aduncum
aeries
affine (Onychium a)
agathodaemonis (cuthbertsonii)
albosanguineum
alboviride (scabrilingue)
alexandrae 4 weeks
amethystoglossum (Callista a)
anceps
andersoni (draconis)
antennatum (d'albertisii) 7 months
aphyllum (cucullatum) (pierardii)
arachnites (Aeranthes a)
arcuatum several X/year
ashworthiae (atroviolaceum)
asperfolium
astrosanguineum
attractodes (heterocarpum)
atromarginatum
atroviolaceum (ashworthiae) 6 months
augustae-victoriae (lineale)

aurantiroseum	1 month
bellatulum	3 weeks
bifalce (breviracemosum)	
bigibbum	several X/year
" var phalaenopsis (phalaenopsis)	
" SSP bigibbum var bigibbum	
" var compactum	
" var superbum	
boxallii (grattiosissimum)	
bracteosum	4 months
breviracemosum (bifalce)	
bullerianum (grattiosissimum)	
cambridgeanum (ochreatum)	
canaliculatum	
caninum (cretaceum)	
chrysanthum (paxtoni)	2 weeks
chrysotoxum (suavissimum)	
coelogyne (Epigeneium c)	
coerulescens (nobile)	
convolutum	
crassinode (pendulum)	
crepidatum (lawanum)	
" var assamicum	
cretaceum (caninum)	
cruentum	several X/year
cucullatum (aphyllum)	
cuthbertsonii (agathodaemonis)	
(fulgidum) (sophronitis)	to 8 months
d'albertesii (antennatum)	
dearei	
delacourii	1 month
devonianum (pictum)	
dichaeoides	2 months 2 X/year
dillonianum	6 weeks
discolor (undulatum)	
draconis (andersoni)	3 weeks
engae	2 months
eximum	
falconeri	
falcorostrum	2-3 weeks
findlayanum (Callista findlayana)	
fitchianum	

fitzgeraldii (superbiens)	
flexuosum (longicornu)	
forbesii	8 weeks
formosum	4 weeks
" var gigantea	
friedericksonianum	
fulgidum (cuthbertsonii)	
fuscatum (gibsonii)	
gibsonii (fuscatum)	
gracilicaule	4 weeks
grattiosissimum (boxallii) (bullerianum)	
harrisoniae (Bifrenaria h)	
helix	several X/year
hellwigianum (nobile)	
hercoglossum	
heterocarpum (attractodes) (aureum)	
(rhombeum) (Callista h)	
hildebrandii (signatum)	
infundibulum Ldl	
johannis	
kingianum	successive to 8 weeks
laniferum	
lawanum (crepidatum)	
lawesii	months
leonis	continuous
licheneola	
lineale (augustae-victoriae)	
lindleyanum (nobile)	
lituiflorum	
loddigesii (pulchellum Lodd)	
longicornu (flexosum)	
lowii	
luteolum	
microbulbon	weeks
miyakei	
moorei	several X/year
moyobambae	
mutabile (rigidum)	2 weeks
nobile (coerulescens)	
(hellwigeanum) (lindleyanum)	
(wallichianum)	
" var pallidiflorum (primulinum)	

obligophyllum (ticei)	
ochreatum (cambridgeanum)	
pantiferum	
parishii	
paxtoni (chryanthum)	
pendulum (crassinode)	
pierardii (aphyllum)	
phalaenopsis	2/3 months
polyphlebium (rhodopterygium)	
prasinum	
Dendrobium	
primulinum (nobile var pallidiflorum)	
" var giganteum	
prismatocarpa	
pseudoglomeratum	2 months
pulchellum Lodd (loddigesii)	
pyriforme (Encyclia pyriformis)	
quadrangulare	continuous
regium	
revolutum	continuous
rhodopterygium (polyphlebium)	
rhombeum (heterocarpum)	
rigidum (mutabile)	
scabrilingue (alboviride)	
schuetzei	
secundum	several X/year
senile	
signatum (hildebrandii)	
smilliae	
sophronitis (cuthbertsonii)	
speciosum	2-3 weeks
spectabile	months
stratiotes	several X/year
strebloceras	
suavissimum (chrysotoxum)	
subclausum	
supelausum var pandoncola	
+ superbiens (fitzgeraldii)	successive
tangerine	
tapinense	3 months
taurinum (Callista taurina)	
teretifolium	1 month

tetragonum var gigantea	2/3 X/year
ticei (obligophyllum)	
trachyphyllum	
trigonopus	months
trilamellatum	
unicum	
uniflorum	continuous
vexillarius	to 6 months
victoriae-reginae	
violaceum	6 months
wallichianum (nobile)	
wardianum	
wardiosissimum	6 weeks
wigibbum	2-3 weeks
williamsoni	
womersleyi	continuous
Dendrochilum (Acoridium) I	
cobbianum (Platyclinis cobbiana)	
filiforme (Platyclinis filiformis)	
Desmotrichum	
cymbidioides (Epigeneium c)	
Diaphananthe	
rutilla	several X/year
Dinema	
polybulbon (Epidendrum p)	
Disa	
crassicornis (macrantha)	
macrantha (crassicornis)	
tripetaloides	
uniflora	
Domingoa	
hymenodes	
Doritis	
alatum majus	
pulcherrima	successive

pulcherrima var. champonensis

Dracula

astuta	
bella	several X/year
erythrochaete	continuous summer
felix	5 weeks
gaskelliana	successive
gongora	successive 6 months
psittacina	weeks
pusilla	successive
simula	
sodiroi	months

Dyakia

hendersonianum (Ascozentrum h)

Dryadella

edwallii	
simula	several X/year
simulatrix	several X/year
zebrina	

Encyclia

acicularis (Epidendrum aciculare)	
adenocaulis (nemoralis) (Epidendrum a)	6 weeks
alata (Epidendrum alatum)	
alboxanthina	
altissima (Epidendrum altissimum)	
aromatica (Epidendrum aromaticum)	5 weeks
bifida (Psychilus b)	
boothianum (Epidendrum b)	
bractescens (acicularis)	
chloroleuca (Epidendrum chloroleucum)	
citrina (Cattleya c)	
cochleata (Epidendrum cochleatum)	successive months
cordigera (Epidendrum cordigerum)	
dichroma	
erubescens (Epidendrum e)	
gracilis (Epidendrum gracile)	
mariae	
memoralis (adenocaulis)	

(Epidendrum memorale)
 odoratissima (Epidendrum o)
 oncidioides (Epidendrum o)
 phoenicea (Epidendrum phoeniceum)
 plicata (Epidendrum plicatum)
 prismatocarpa (Epidendrum prismatocarpum)
 pyriformis (Epidendrum pyriforme)
 randii 4-6 weeks
 selligera (Epidendrum selligerum)
 stellata (Epidendrum stellatum)
 tampensis (Epidendrum tampense)
 vespa
 virens (Epidendrum v)
 vitellina (Epidendrum vitellinum) months
 xipheres (Epidendrum x)

Epidendrum

aciculare (bractescens) (Encyclia acicularis)
 adenocaula (Encyclia adenocaulis)
 affine (fucatum)
 alatum (Encyclia alata)
 " var majus
 aloifolium Batem (parkinsonianum)
 altissimum (hodgemanum) (Encyclia h)
 amabile (virgatum)
 aromaticum (Encyclia aromatica)
 atropurpureum (duboisianum) (Psychilis a)
 " forma roseum
 atrorubens (selligerum)
 barringtoniae (Lycaste b)
 bicornutum (Caularthron b)
 bidentatum (boothianum)
 boothianum (bidentatum)
 bractescens (aciculare) (Encyclia acicularis)
 chloroleucum (Encyclia chloroleuca)
 ciliare (cuspidatum) (Phadrosanthus ciliaris)
 cinnabarinum
 cochleatum (Encyclia cochleata)
 (Phadrosanthus cochleatus) several X/year
 conopseum (Amphiglottis conopsea)
 cooperianum weeks
 cordigerum

coriifolium (fuscopurpureum)
 criniferum
 cristatum
 cuspidatum (ciliare)
 cycnostalix (stamfordianum)
 dichromum
 difforme (Neolehmannia d)
 diotum
 duboisianum (atropurpureum)
 endresii (Oerstedella e)
 ensifolium (Cymbidium e)
 erubescens (Artorima e) (Encyclia e)
 flos-aeris (Arachnis f-a)
 fragrans (Anacheilon f)
 fuscatum (affine)
 fuschii (skinneri)
 garcianum 6 months continuous
 gracile (Encyclia gracilis)
 granulosum (Cattleya granulosa)
 guatemalense (oncioides)
 hodgemanum (altissimum) (Encyclia a)
 humboldtii (Laelia h)
 ibaguense (radicans) continuous
 ilense continuous
 ismthi (paniculatum)
 imatophyllum (lorifolium)
 labiosum (Menadenium l)
 laucheanum
 leucochilum weeks
 longipetalum successive
 lorifolium (imatophyllum)
 mariae
 maxima (Cattleya m)
 myrianthum (verrucosum Sw var m)
 nemorale (verrucosum Ldl) (Encyclia nemoralis)

Epidendrum

nocturnum (Phaedrosanthus nocturnus) continuous
 ochranthum (virens)
 odoratissima (Encyclia o)
 oncioides (guatemalense) (Encyclia o)
 paniculatum (ismthi)
 parkinsonianum (aloifolium Batem)

patens
 pfavii
 phoeniceum (Encyclia phoenicea) successive
 plicatum (Encyclia plicata)
 polybulbon (Dinema p)
 porphyreum
 primulinum
 prismatocarpum (maculatum hort) (Encyclia prismatocarpa)
 pyriforme (Encyclia pyriformis)
 radicans (ibaguense)
 schomburgkii (splendens)
 schumanianum
 selligerum (atrorubens) (Encyclia selligera)
 skinneri (fuschii)
 spectabile months
 stamfordianum (cycnostalix)
 stellatum (Encyclia stellata)
 stenopetalum (lamellatum) successive
 tampense (Encyclia tampensis)
 unicum
 verrucosum Sw
 " var myrianthum (myrianthum)
 virens (ochranthum) (Encyclia v)
 virgatum (amabile)
 vitellinum (Encyclia vitellina) 2 months
 wallisii 1 month
 wattii
 xipheres (yucatanse)
 yucatanse (xipheres)

Epigeneium

acuminatum (Dendrobium a)
 coelogyne (Dendrobium c)
 cymbidioides (Desmotrichum c)
 nakahari

Epipactis

gigantea (americana)

Epistephium

lucidum successive

Eria
 globifera

Eriopsis
 helenae

Erythrodes
 latifolia (Physurus latifolius) successive

Esmerelda
 clarkei (Arachnis c)

Euanthe
 sanderiana (Vanda s)

Eulophia
 alta (woodfordii) successive
 angolensis (Cymbidium angolense)
 calanthoides successive
 euglossa (Galeandra e) successive
 exalta (stricta)
 gigantea (Lissochilus giganteus) successive
 graminea
 keithii
 macrostachya (Graphorchis m)
 mucronata (squalida)
 quartineanum
 rosea (Lissochilus roseus)
 squalida (mucronata)
 speciosa months
 streptopetala
 striata (exalta)
 stylites (Lissochilus s)
 woodfordii (alta)

Eulophiella (All)
 roempleriana (hamelini)

Fieldia
 lissochiloides (Vandopsis l)

Galeandra

baueri (batemanni)
batemanni (baueri)
berrichii
devoniana
euglossa (Eulophia e)
leptoceras
pubicentrum
stangeana

Galeottia

grandiflora (Mendonsella g)

Gastorchis

humblotii (Phaius h)
tuberculosa (Phaius tuberculatus)

Gastrochilus

bellinus (Saccolabium bellinum)
bigibbus (Saccolabium bigibbum)
calceolaris (Saccolabium calceolare)
dasypogon 4 weeks
fuscopunctatus successive

Gomesa

planifolia

Gongora

galeata (Maxillaria g)
portentosa

Grammangis

ellisii (Grammatophyllum e) to 6 weeks
stapeliiflora (florum)

Grammatophyllum

ellisii (Grammangis e)
scriptum successive/weeks
" var tigrinum
speciosum (Pattonia macrantha)
scriptum successive weeks
" var tigrinum

Graphorchis
macrostachya (Eulophia m)

Habenaria
arietina (pectinata)
carnea
ceratopetala
cornuta
militaris (rhodochila)
pectinata (arietina)
quinqueseta (Orchis q)
repens 3 X/year
rhodochila (militaris)

Haraella
odorata (retrocalla) thru. year

Helcia
sanguinolenta (Trichopilia s)

Hintonella
mexicana

Holcoglossum
amesianum (Vanda amesiana)

Houlletia
brocklehurstiana
odoratissima

Huntleya
lucida successive
meleagris (burtii) continuous
wallisii

Hyalosema
grandiflorum (Bulbophyllum g)

Hygrochilus
parishii (Vanda p)
lonopsis

uticularioides

Ipsea

speciosa

Iridorchis

gigantea (Cymbidium giganteum)

Jumellea

arachnites	1 month
arborenszens	3 weeks
comorensis	continuous
confusa	3 weeks
filicornoides	
fragrans (Angraecum f)	
sagittata	3 weeks
Hillerman # 141	3-4 weeks

Konantzia

minitiflora successive

Laelia

anceps (Cattleya a)	
autumnalis (Cattleya a)	
breigeri	
cinnabarina	
crispa (Cattleya c)	
endsfeldzii	successive
flava (Cattleya f)	
furfuracea (Cattleya f)	
geraensis (harpophylla)	
gouldiana	
grandiflora (speciosa)	
harpophylla (geraensis)	
humboldtii (Epidendrum h)	
jongheana (Bletia j)	
lobata (Cattleya l)	
lyonsii (Bletia l)	
majalis (speciosa)	
milleri	months
perrinii (Cattleya p)	3 months
pumila (Cattleya p)	

purpurata (Cattleya p)
rubescens
" var accuminata
sincorana several X/year
speciosa (grandiflora) (majalis)
superbiens (Cattleya s)
tibicinis (Cattleya t)

Lanium
avicula

Lemboglossum
cervantesii (Odontoglossum c)
cordatum (Odontoglossum c)
rossii (Odontoglossum r)

Leochilus
oncioides

Lepanthopsis
astrophora several X/year
floripecten several X/year

Leptotes
bicolor (glaucophylla) 4-6 weeks

Limodorum
callosum (Phaius callosus)
flabellatum (Cymbidiella flabellata)
flavum (Phaius flavus)
tankervilleae (Phaius t)

Liparis
liliifolia (Ophrys l)

Lissochilus
giganteus (Eulophia gigantea)
roseus (Eulophia rosea)
stylitis (Eulophia s)

Luisa l
teretifolia (burmanica)

Lycaste

alba (virginialis)	
aromatica	weeks
balsamea (cruenta)	
barringtoniae (Epidendrum b)	
chrysoptera (deppei)	
ciliata (Maxillaria c)	
costata (Maxillaria c)	weeks
crocea (fulvescens) (Maxillaria f)	
cruenta (balsamea)	
deppei (chrysanthum) (Maxillaria d)	
dyeriana	
eburneum (Angraecum e)	
fulvescens (crocea) (Maxillaria f)	
humboldtii (Angraecum h)	
inodora (Bifrenaria i)	
lanipes (mesochlaena)	
leucantha	continuous (summer)
macrobulbon (Maxillaria m)	
macrophylla	continuous months
mesochlaena (lanipes)	
michellii	continuous
powellii	
schilleriana	
skinneri (Maxillaria s)	
skinneri rosea	
tetragona (Bifrenaria t)	
xytriophora	

Macroplectum

sesquipedale (Angraecum s)	
----------------------------	--

Maelenia

paradoxa (Cattleya forbesii)	
------------------------------	--

Malaxis

calophylla (Microstylis c)	successive
----------------------------	------------

Masdevallia

amanda	continuous
angulata	4 months

angulifera	3 months
attenuata	
ayabacana	successive
barlaena	months autumn
calura	1 month several X/year
candida (tovarensis)	
caudata	successive
chimera	successive
civilis	continuous
I coccinea	several X/year
colossus	
corniculata	several X/year
discoides	several X/year
echo	
floribunda	several X/year
ignea (militaris)	several X/year
infracta (longicaudata)	successive
kuhniorium	successive
lata	continuous
limax	several X/year
longicaudata (infracta)	
megae	
mejiana	4 months
mendozae	to 6 months
militaris (ignea)	
navicularis	
peristeria	successive 7 months
phoenix	successive
pinochio	
prodigiosa	3 weeks several X/year
purpurella	several X/year
racemosa	successive
schmidt-mummii	successive
schroderiana	1 month
sernae	successive
stenorhynchos	successive
stroleli	
tovarensis (candida)	weeks
tridens	4 weeks
urosalpinae	continuous
veitchiana	2 months several X/year
wageneriana	continuous

yungasensis

Maxillaria

acianthe (friedrichsthalii)

amparoana (ringens)

anatomoron (venusta)

augustifolia (variabilis)

ciliata (Lycaste c)

citrina

colleyi (Batemaniana c)

costata (Lycaste c)

crocea

curtipes

several X/year

densa

several X/year

deppii (Lycaste d)

eburnea (grandiflora)

fletcheriana

friedrichsthalii (acianthe)

fuerstenburgiana

fulvescens (Lycaste f)

fuscata (picta)

galeata (Gongora g)

grandiflora (eburnea)

houtteana

jugosa (Colax jugosus)

kimballiana (praestans)

lepidota (pertusa)

longisepala

luteo-alba (triloris)

neglecta (Ornithidium neglectum)

microbulbon (Lycaste m)

parkeri (Colax p)

picea

picta (fuscata)

porphyrostele

praestans (kimballiana)

ringens (amparoana)

rufescens

several X/year

sanderiana

skinneri (virginalis)

tenuifolia

triloris (luteo-alba)

uncata	several X/year
variabilis (augustifolia)	several X/year
venusta (anatomoron)	
virginalis (skinneri)	
warreana (Warrea w)	

Menadenium

labiosum (rostratum) (Epidendrum l)

Mendonsella

grandiflora (Galeottia g)

Micropera

obtusa

Microstylis

calophylla (Malaxis c)

Miltonia

candida
 regnellei
 schroderiana
 spectabilis (Oncidium spectabile)

Miltonioides

laeve (Odontoglossum l)

Miltoniopsis

warscewiczii

Mormodes

aromatica	
colossus (macranthum)	
cuneata	1 month
flavescens	
igneum	
luxatum (williamsii) (Catasetum l)	
macranthum (colossus)	

Mormolyca

gracilipes	continuous
maculatum (pardina)	

Mystacidium
 infundibulare (Angraecum i)
 sesquipedale (Angraecum s)

Nageliella
 purpurea months

Neippergia
 chrysantha (Acinita c)

Neobenthamia
 gracilis (Polystachya neobenthamia)

Neolehmannia
 difforme (Epidendrum d)

Octadesmia
 montana (serratifolia)

Octomeria
 grandiflora several X/year

Odontoglossum
 cervantesii (Lemboglossum c)
 " var roseum
 cordatum (hookeri) (Lemboglossum c)
 glonerianum (odoratum)
 grande (Rossioglossum g)
 hastilabium (Oncidium h)
 hookeri (cordatum)
 krameri
 laeve (Miltonioides l)
 londesboroughianum
 odoratum (glonerianum)
 oerstedii
 pendulum (Cuitlauzina pendula)
 pulchellum (Osmoglossum p) 3 weeks
 rossii (Lemboglossum r)
 schlieperianum
 tigrinum (Oncidium t)
 variegatum (Aspasia v)

Oeoniella	
polystachis	weeks
Oerstedii	
krameri (Ticoglossum k)	
Oerstedella	
endresii (Epidendrum e)	
Oncidium	
altissimum Ldl (baurei)	
ampliatum	
anthrocrene (powellii)	
barbatum	
baurei (altissimum Ldl)	
brachiatum (Brassia brachiata)	
cabagrae (rechingerianum)	
candidum Ldl (Palumbina candida)	
cebolleta	
croseus (longipes var c)	
digitatum (leucochilum)	
excavatum	weeks
forbesii	
fuscatum (Miltonia warscewiczii)	several X/year
gardneri	
gireoudiana (Brassia g)	
gracile	
haematochilum	
hastatum	
hastilabium (Odontoglossum h)	
janeirense (longipes)	
jonesianum	
kramerianum (nodosum)	successive 1 month
laeve (Miltonioides l)	
lanceanum	
lawrenceanum (Brassia lawrenceana)	
leucochilum (digitatum)	
lindleyi (maculatum)	
longipes (janeirense)	
" var croseus (croseus)	
loxense (Cyrtochilum l)	

lueddemanniana	3 months
macranthum (Cyrtochilum m)	
maculatum (Cyrtochilum m)	
microchilum	
nanum	
nodosum (kramerianum)	
oblongatum	6 months
ornithorhynchum	4 weeks
parviflorum	
papilio	successive
powellii	
rechingerianum (cabagnae)	
rigbyanum (sarcodes)	
sarcodes (rigbyanum)	
spectabile (Miltonia spectabilis)	
sphacelatum	
splendidum (tigrinum var s)	
stamineum	
tigrinum	
" var splendidum (splendidum)	
" var unguiculatum (unguiculatum)	
triquetum	several X/year
unguiculatum (tigrinum var u)	
urophyllum	
varicosum	5/6 weeks
" var rogersii	
variegatum (velutinum)	
velutinum (variegatum) (Tolumnia v)	

Onychium
affine (Dendrobium a)

Ophrys
liliifolia (Liparis l)

Orchis
quinqusetata (Habenaria q)

Ornithidium
neglectum (Maxillaria neglecta)

Ornithocephalus bicornis (diceras)	
Ornithochilus fuscus (difformis)	1 month
Orthoceres strictum	
Osmoglossum pulchellum (Odontoglossum p)	
Palumbina candida (Oncidium candidum Ldl)	
Paphina cristata	
Paphiopedilum + ang thong	several X/year
argus (Cypripedium a)	
boissierianum	successive
callosum	8-10 weeks
chamberlainianum (Cypripedium c)	
" var flavus	
" var latifolium	months
charlesworthii (Cypripedium c)	
dianthum	
fairrieanum (Cypripedium f)	
glaucophyllum	successive 3 months
haynaldianum (Cypripedium h)	
kolopakingii	
leimianum	6 months
lowii	
mastersianum (Cypripedium m)	
moquettianum	6 months
primulinum var. alba	continuous
" ssp purpurescens	
purpuratum (Cypripedium p)	
reticulatum	successive
rothschildianum (Cypripedium r)	
spicerianum	4 weeks

sukhakulii	several X/year
tapperi	
venustum	continuous
victoriae-mariae	6 months
villosum	
Paradisianthus	
maseni	successive
Paraphalaenopsis	
denevei (Phalaenopsis d)	
labukensis	
laycockii (Phalaenopsis l)	several X/year
serpentilingua	
Pattonia	
macrantha (Grammatophyllum speciosum)	
Pelexia	
setaceum (Centrogenium setacea)	
Peristeria	
cerina (Zygopetalum cerinum)	
coronaria	
elata	successive 2 months
Pescatoria (all?)	
dayana (Zygopetalum dayanum)	
lehmanni (Zygopetalum l)	
wallisii	
Phadrosanthus	
ciliaris (Epidendrum ciliare)	
cochleatus (Epidendrum cochleatum)	
nocturnus (Epidendrum nocturnum)	
Phaius (Phajus)	
blumei (tankervilliae)	
bracteosus (flavus)	
callosus (hasseltii) (Limodorum callosum)	
flavus (bracteosus) (Limodorum flavum)	
francoisii	3-5 weeks

hasseltii (callosus)	
humblotii (Gastorchis h)	4 weeks
tankervilleae (blumei) (Limodorum t)	
tuberculatum (Gastorchis tuberculosa)	
Phalaenopsis (Generally)	
amabilis	4 months
amboinensis	
aphrodite	
cornu-cervi (Polychilus c-c)	continuous
denevei (Paraphalaenopsis d)	continuous
equestris	several X/year
" var alba	several X/year
" var rosea	
heiroglyphica	
laycockii (Paraphalaenopsis l)	
leuddemanniana	
lindenii	
mannii	successive 3 months
mariae	
modesta	
pulchra	
speciosa var. tetraspis	
viridis	
violacea	successive
Phragmipedium	
amazonica	successive
boissierianum	successive
carcinum	successive
caudatisepala	successive
densiflora	continuous
eucadorensis (pearcei)	continuous
longifolium (Cypripedium l)	
pearcei (eucadorensis)	successive
peruvianum	successive
reticulatum	successive
sargentinum	successive
schlinii	months
stenostachya	continuous

Phymatidium
tillantoides

Physurus
latifolius (Erythrodes latifolia)

Platyclinis
cobbiana (Dendrochilum cobbianum)
filiformis (Dendrochilum filiforme)

Platystele	
alucita	successive
compacta	weeks
densiflora	continuous
misera	continuous
stenostachya	continuous

Plectrelminthus
caudatus (bicolor) (Angraecum c)

Pleione
laganaria

Pleurothallis (Restrepia)	
brighami	
condylata	successive
cordifolia	successive
elegans	
endotrachys	
erinacea	
filamentosa (Restrepia f)	several X/year
ghiesbreghtiana (incompta)	
grobyi	successive
hawkesii	
hemsleyana (Restrepia h)	
incompta (ghiesbreghtiana)	
mirabilis	weeks
niveoglobula	continuous
ornata (scheidei)	
pubescens	3 X/year
sanderiana	weeks
sanguinea	successive

scheidei (ornata)	successive
striata (Restrepia s)	
tryesa	several X/year
Podangis	
dactyloceras	
Pogonia	
rosea (Cleistes r)	
Polychilus	
cornu-cervi (Phalaenopsis c-c)	
Polyrrhiza	
funalis (Limodorum funale)	
lindenii (Angraecum l)	
Polystachya	
carphiglossa	several X/year
galeata	successive weeks
neobenthamia (Neobenthamia gracilis)	
porphyrochila	1 month
pubescens	weeks
setulense	1 month
tayloriana	1 year
zuluensis	
Pomatocalpa	
bicolor	successive
setulense	
Preptanthe	
rubens (Calanthe r)	
vestita (Calanthe v)	
Promenaea	
stapelioides	
xanthina (citrina) (Maxallaria x)	
Psychilis	
atropurpurea	
(Epidendrum atropurpureum)	successive

bifida (<i>Encyclia b</i>)	successive
Pterygodium	
acutifolium	
Renanthera	
auyongii	6 months continuous
coccinea (<i>Epidendrum renanthera</i>)	
elongata (<i>macrantha</i>)	
hookerianum (<i>Arachnis h</i>)	
imschootiana (<i>papilio</i>)	1 month
labrosa (<i>Armodorum labrosum</i>)	
matutina	
monachica	
papilio (<i>imschootiana</i>)	
storei (<i>Vanda s</i>)	
Restrepia	
see <i>Pleurothallis</i>	
Rhyncholaelia	
digbyana (<i>Brassavola d</i>)	
" var <i>fimbriata</i>	
glauca (<i>Brassavola g</i>)	
Rhynchostylis	
coelestis	
gigantea (<i>densiflora</i>) (<i>Saccolabium giganteum</i>)	
<i>retusa</i> (<i>praemorsa</i>)	
Rodriguezia	
secunda	several X/year
Rossioglossum	
grande (<i>Odontoglossum g</i>)	
Saccolabium	
bellinum (<i>Gastrochilus bellinus</i>)	
bigibbum (<i>Gastrochilus gibbigus</i>)	
calceolare (<i>Gastrochilus calceolaris</i>)	
giganteum (<i>Rhynchostylis gigantea</i>)	
papillosa (<i>Acampe p</i>)	

Sarcanthus		
appendiculatus (Aerides appendiculatum)		
Sarcochilus		
ceciliae successive		
hirsutus		
Sarcoglottis		
herzogii		
Satyrium		
membranaceum (cucullatum)		
Scaphosepalum		
ralpheanum	successive	
severtifolium		
verrucosum	months	
Schomburgkia		
wendlandii		
Scuticaria		
hadweni (Bifrenaria h)		
Sedenfadenia		
mitrata (Aerides m)		
Sediria		
japonica (Aerides japonicum)		
Serapis		
cordigera	1 month	
Sigmatostalix		
aristulifera	several X/year	
cuculigera	successive	
graminea	several X/year	
reversa	several X/year	
Smitenandia		
ambikenum	1 month	

micrantha	1 month
Sobennikoffia	
humbertiana	
robusta	1 month
Sobralia	
macrantha	successive for the species
steelii (Maxillaria s)	successive for the species
Solenidium	
racemosum (Oncidium r)	
Sophranitella	
violacea (Sophranitis v)	
Sophranitis	
cernua	
coccinea	
grandiflora	
Spathoglottis	
bensoni	
lilacina (plicata)	
microchilima	weeks
plicata (lilacina)	successive
unquiculata	continuous
vanoverberghii	successive
Spiranthes	
cinnabarina (Neottia c)	
Stanhopea	
grandiflora (calceolata) (eburnea)	successive months
hernandezii	successive months
inodora	
oculata (purpusii)	successive months
rodrigueziana	2/3 X/year
wardii	successive months
Staurochilus	
fasciata (Tricoglottis f)	

ionosma (Tricoglottis i)
luzonensis (Tricoglottis l)

Stauropsis
philippinensis (Tricoglottis p)
warocqueana (Vandopsis w)

Stelis
ciliaris
endresii
vulvanica several X/year

Stenia
pallida

Stenocoryne
leucorrhoda (Bifrenaria l)

Stenoglottis
fimbriata

Stereochilus
see Sarcochilus

Summerhayesia
zambesiaca 2-3 weeks

Symphyglossum l
sanguineum (Cochlioda sanguinea)

Taeniophyllum
obtusum successive

Tainia
latilingua
penangiana (Ania p)

Tetramicra
canaliculata (Bletia rigida) continuous
parviflora (Bletia p)

Thorvaldsenia
speciosa (Chysis s)

Thryxspermum
formosanum successive

Thunia
marshalliana

Ticoglossum
krameri (Oestedii k)

Tolumnia
variegatum (Oncidium v)

Tricocentrum
albo-coccineum

Tricocerus
parviflorus (armillatus)

Tricoglottis
brachiata (philippinensis var b)
fasciata (Stauorchilus fasciatus)
flexuosa (rosea)
ionosma (Cleisostoma ionosmum)
(Stauorchilus i)
luzonensis (Stauorchilus l)
philippinensis (Stauopsis p)
" var brachiata (brachiata)
rosea (flexuosa) (Cleisostoma roseum)

Trichopellia
fragrans (albida)
galeottiana
sanguinolenta (Helcia s)

Trichosalpina
didhela several X/year

Trigonidium
egertonianum (seemanni)

Trisetella
 huebneri several X/year
 triglochis

Trudelia
 alpina (Vanda a)

Vanda
 alpina (griffithii) (Trudelia a)
 amesiana (Holcoglossum amesianum)
 bensoni
 boxalli (lamellata var b)
 cathcartii (Arachnis c)
 clitellaria (lamellata)
 coerulea several X/year
 coerulescens
 concolor (roxburghii var unicolor)
 cristata (striata)
 dearei 3/4 X/year
 denisoniana
 " fma hebraica
 griffithii (alpina)
 hookeriana
 insignis 6 weeks
 kimballiana
 kwantungensis
 lamellata (clitellaria) several X/year
 " var boxalli (boxalli)
 " var remidiosa several X/year
 limbata
 lissochiloides (Vandopsis l) 3/4 X/year
 longifolia (Acampe l)
 luzonica
 mariottiana (Vandopsis parishii var m)
 merrillii
 multiflora (Acampe m)
 parishii (Hygrochilus p) (Vandopsis p)
 roeblingiana
 roxburghii (tessellata)
 " var unicolor (concolor)
 sanderiana (Euanthe s)
 " var alba

storei (Renanthera s)
striata (crinata)
suaveolens (tricolor)
suavis (tricolor var suavis)
tricolor (suaveolens) 2/3 X/year
" var suavis (suavis)

Vandopsis

lissochiloides (Fieldia l) (Vanda l)
parishii (Vanda p)
" var mariottiana (Vanda m)
warocqueana (Stauropsis w)

Vanilla

imperialis (africana)
polyepis weeks

Warrea

discolor (Chondrorhyncha d)
warriana (tricolor) (Maxillaria w)

Zygocolax +

veitchii

Zygopetalum

aromaticum (Chondrorhyncha aromatica)
brachypetalum
burkei
cerinum (Peristeria cerina)
coeleste (Bollea coelestis)
crinitum (crepaxi)
dayanum (Pescatoria dayana)
fragrans (marginatum)
hasslerianum (Maxillaria h)
intermedium (mackayi Paxt)
lalindei (Bollea l)
lawrenceanum (Bollea lawrenceana)
lehmanni (Pescatoria l)
mackayi Hk
marginatum (fragrans)
maxillare (hasslerianum)
moserianum

patini (Bollea p)
violaceum (Bollea violacea)
wallisii